## Contents Volume 109

## Regular Letters

1
11
25
37
47
57
-
73
87
0,
107
117
133
33
147
141
169
109
179
119
185
100
205
200
225
623
229
649
243
243
255
دد
273
-13
i
275
1 1 1 1 2 2 2 2 2

Deep sea bottom-simulating-reflectors: calibration of the base of the hydrate stability field as used for heat flow estimates R.D. Hyndman, J.P. Foucher, M. Yamano, A. Fisher and Scientific Team of Ocean Drilling Program Leg 131 Fluid venting activity within the eastern Nankai Trough accretionary wedge: A summary of the 1989 Kaiko-Nankai results	289
X. Le Pichon, K. Kobayashi and Kaiko-Nankai Scientific Crew	303
Tectonic context of fluid venting at the toe of the eastern Nankai accretionary prism: Evidence for a shallow detachment	
fault	
N. Chamot-Rooke, S.J. Lallemant, X. Le Pichon, P. Henry, M. Sibuet, J. Boulègue, JP. Foucher, T. Furuta, T. Gamo, G. Glacon, K. Kobayashi, S. Kuramoto, Y. Ogawa, P. Schultheiss, J. Segawa, A. Takeuchi, P. Tarits and H. Tokuyama	319
Seafloor manifestations of fluid seepage at the top of a 2000-metre-deep ridge in the eastern Nankai accretionary wedge:	319
Long-lived venting and tectonic implications	
S.E. Lallemand, G. Glaçon, A. Lauriat-Rage, A. Fiala-Médioni, JP. Cadet, C. Beck, M. Sibuet, J.T. Iiyama, H. Sakai	
and A. Taira	333
Deep-tow survey in the KAIKO-Nankai cold seepage areas	
K. Kobayashi, J. Ashi, J. Boulegue, H. Cambray, N. Chamot-Rooke, H. Fujimoto, T. Furuta, J.T. Iiyama, T. Koizumi, K.	
Mitsuzawa, H. Monma, M. Murayama, J. Naka, M. Nakanishi, Y. Ogawa, K. Otsuka, M. Okada, A. Oshida, N. Shima,	
W. Soh, A. Takeuchi, M. Watanabe and T. Yamagata	347
Interpretation of temperature measurements from the Kaiko-Nankai cruise: Modeling of fluid flow in clam colonies	
P. Henry, JP. Foucher, X. Le Pichon, M. Sibuet, K. Kobayashi, P. Tarits, N. Chamot-Rooke, T. Furuta and P.	
Schultheiss	355
Time-variations of fluid expulsion velocities at the toe of the eastern Nankai accretionary complex	272
JP. Foucher, P. Henry, X. Le Pichon and K. Kobayashi	373
Methane, ethane and total inorganic carbon in fluid samples taken during the 1989 Kaiko-Nankai project T. Gamo, H. Sakai, J. Ishibashi, K. Shitashima and J. Boulègue	383
Stable isotopic ratios and origins of the carbonates associated with cold seepage at the eastern Nankai Trough	303
H. Sakai, T. Gamo, Y. Ogawa and J. Boulegue	391
Vent activity in a subduction area (Nankai wedge): The foraminiferal test record	371
MT. Vénec-Peyré, J. Boulègue and S.E. Lallemand	405
Calyptogena-cemented rocks and concretions from the eastern part of Nankai accretionary prism: Age and geochemistry of	
uranium	
C. Lalou, M. Fontugne, S.E. Lallemand and A. Lauriat-Rage	419
Sediment deformation and hydrogeology of the Nankai Trough accretionary prism: Synthesis of shipboard results of ODP	
Leg 131	
A. Taira, I. Hill, J. Firth, U. Berner, W. Brückmann, T. Byrne, T. Chabernaud, A. Fisher, JP. Foucher, T. Gamo, J.	
Gieskes, R. Hyndman, D. Karig, M. Kastner, Y. Kato, S. Lallemant, R. Lu, A. Maltman, G. Moore, K. Moran, G.	421
Olaffson, W. Owens, K. Pickering, F. Siena, E. Taylor, M. Underwood, C. Wilkinson, M. Yamano and J. Zhang	431
Heat flow and fluid flow regime in the western Nankai accretionary prism  M. Yamano, JP. Foucher, M. Kinoshita, A. Fisher, R.D. Hyndman and ODP Leg 131 Shipboard Scientific Party	451
Structural geological evidence from ODP Leg 131 regarding fluid flow in the Nankai prism, Japan	431
A. Maltman, T. Byrne, D. Karig. S. Lallemant and Leg 131 Shipboard Party	463
Detecting fluid circulation by electric field variations at the Nankai Trough	105
J. Segawa and H. Toh	469
Landward vergence and oblique structural trends in the Oregon margin accretionary prism: Implications and effect on fluid	
flow	
M.E. MacKay, G.F. Moore, G.R. Cochrane, J.C. Moore and L.D. Kulm	477
Geological evidence for mud diapirism on the Mediterranean Ridge accretionary complex	
A. Camerlenghi, M.B. Cita, W. Hieke and T. Ricchiuto	493
Regular Letters	
What determines the volume of the oceans?	
J.F. Kasting and N.G. Holm	507
Ultrafast subduction: the key to slab recycling efficiency and mantle differentiation?	307
H. Staudigel and S.D. King	517
Syndeformational magnetization in the Ordovician Bigfork Chert at Black Knob Ridge, western Ouachita Mountains,	51,
southern Oklahoma	
T.K. Hillegeist. D.J. Fruit and R.D. Elmore	531
The impact of the Cretaceous/Tertiary bolide on evaporite terrane and generation of major sulfuric acid aerosol	
H. Sigurdsson, S. D'Hondt and S. Carey	543
Pinning down the Brunhes/Matuyama and upper Jaramillo boundaries: a reconciliation of orbital and isotopic time scales	
L. Tauxe, A.D. Deino, A.K. Behrensmeyer and R. Potts	561

Chronology of the Middle Pleistocene Kidnappers Group, New Zealand and correlation to global oxygen isotope stratigraphy	
T.M. Black	573
Development of a positive Eu anomaly during diagenesis	
N.D. MacRae, H.W. Nesbitt and B.I. Kronberg	585
Misconceptions concerning the Cretaceous/Tertiary boundary at the Brazos River, Falls County, Texas	
H. Montgomery, E. Pessagno, K. Soegaard, C. Smith, I. Muñoz and J. Pessagno	593
Rely to comment by F. Corfu and D.W. Davis on "Archaean hydrothermal zircon in the Abitibi greenstone belt: constraints on the timing of gold mineralisation"	
J.C. Claoué-Long, R.W. King and R. Kerrich	601
The requirements for chemical disequilibrium during magma migration	
M. Spiegelman and P. Kenyon	611
Toroidal/poloidal energy partitioning and global lithospheric rotation during Cenozoic time	
O. Čadek and Y. Ricard	621
Erratum	
C and N isotopic composition and the infrared absorption spectra of coated diamonds: evidence for the regional uniformity of CO <sub>2</sub> -H <sub>2</sub> O rich fluids in lithospheric mantle	
S.R. Boyd, C.T. Pillinger, H.J. Milledge, M.J. Mendelssohn and M. Seal	633
Author Index Volume 100	645